

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

THIS PAGE BLANK (USPTO)

PCTWORLD INTELLECT
Inte

INTERNATIONAL APPLICATION PUBLISHED

(51) International Patent Classification⁶ :**C11D 1/62, 3/30, 3/33, 3/20, 3/32, 3/42,
3/28, 3/26, 1/645****A1**

(11) International Publication Number:

WO 9603481A1

WO 96/03481

(43) International Publication Date:

8 February 1996 (08.02.96)

(21) International Application Number: PCT/US95/08801

(22) International Filing Date: 13 July 1995 (13.07.95)

(30) Priority Data:

08/280,689

26 July 1994 (26.07.94)

US

(71) Applicant: THE PROCTER & GAMBLE COMPANY
[US/US]; One Procter & Gamble Plaza, Cincinnati, OH
45202 (US).(72) Inventors: SIVIK, Mark, Robert; Apartment F, 40 Clubhouse
Lane, Fairfield, OH 45014 (US). SEVERNS, John, Cort;
7168 Basswood Drive, West Chester, OH 45069 (US).
BAKER, Ellen, Schmidt; 10083 Bennington Drive, Cincin-
nati, OH 45241 (US). HARTMAN, Frederick, Anthony;
10347 Deerfield Road, Cincinnati, OH 45242 (US).(74) Agents: REED, T., David et al.; The Procter & Gamble
Company, 5299 Spring Grove Avenue, Cincinnati, OH
45217 (US).(81) Designated States: AM, AU, BB, BG, BR, BY, CA, CN, CZ,
FI, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LV, MD,
MG, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TT,
UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES,
FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD,
TG), ARIPO patent (KE, MW, SD, SZ, UG).**Published***With international search report.**Before the expiration of the time limit for amending the
claims and to be republished in the event of the receipt of
amendments.*(54) Title: RINSE ADDED FABRIC SOFTENER COMPOSITIONS CONTAINING ANTIOXIDANTS FOR SUN-FADE PROTECTION
FOR FABRICS

(57) Abstract

The present invention relates to fabric care compositions to reduce the fading of fabrics from sunlight, comprising: (A) from about 1 % to about 25 % by weight of the composition of a non-fabric staining, light stable antioxidant compound, preferably containing at least one C₈-C₂₂ hydrocarbon fatty organic moiety; (B) from 3 % to about 50 % by weight of the composition of a fabric softening compound; (C) from about 25 % to about 95 % by weight of the composition of a carrier material; and (D) optionally, from about 0 % to about 20 % by weight of the composition of a non-fabric staining, light stable sunscreen compound, preferably containing at least one C₈-C₂₂ hydrocarbon fatty organic moiety; wherein the antioxidant compound is a solid material having a melting point of less than about 80 °C or is a liquid at a temperature of less than about 40 °C; wherein the sunscreen compound absorbs light at a wavelength of from about 290 nm to about 450 nm; and wherein the sunscreen compound is a solid material having a melting point of from about 25 °C to about 90 °C or a viscous liquid at a temperature of less than about 40 °C.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| | | | | | |
|----|--------------------------|----|--|----|--------------------------|
| AT | Austria | GB | United Kingdom | MR | Mauritania |
| AU | Australia | GE | Georgia | MW | Malawi |
| BB | Barbados | GN | Guinea | NE | Niger |
| BE | Belgium | GR | Greece | NL | Netherlands |
| BF | Burkina Faso | HU | Hungary | NO | Norway |
| BG | Bulgaria | IE | Ireland | NZ | New Zealand |
| BJ | Benin | IT | Italy | PL | Poland |
| BR | Brazil | JP | Japan | PT | Portugal |
| BY | Belarus | KE | Kenya | RO | Romania |
| CA | Canada | KG | Kyrgyzstan | RU | Russian Federation |
| CF | Central African Republic | KP | Democratic People's Republic of Korea | SD | Sudan |
| CG | Congo | KR | Republic of Korea | SE | Sweden |
| CH | Switzerland | KZ | Kazakhstan | SI | Slovenia |
| CI | Côte d'Ivoire | LI | Liechtenstein | SK | Slovakia |
| CM | Cameroon | LK | Sri Lanka | SN | Senegal |
| CN | China | LU | Luxembourg | TD | Chad |
| CS | Czechoslovakia | LV | Latvia | TG | Togo |
| CZ | Czech Republic | MC | Monaco | TJ | Tajikistan |
| DE | Germany | MD | Republic of Moldova | TT | Trinidad and Tobago |
| DK | Denmark | MG | Madagascar | UA | Ukraine |
| ES | Spain | ML | Mali | US | United States of America |
| FI | Finland | MN | Mongolia | UZ | Uzbekistan |
| FR | France | | | VN | Viet Nam |
| GA | Gabon | | | | |

RINSE ADDED FABRIC SOFTENER
COMPOSITIONS CONTAINING ANTIOXIDANTS FOR SUN-FADE
PROTECTION FOR FABRICS

5

TECHNICAL FIELD

The present invention relates to fabric care compositions comprising non-fabric staining, light stable antioxidant compounds to reduce the fading of fabrics from sunlight. These antioxidant compounds preferably contain at least one C₈-C₂₂ hydrocarbon fatty organic moiety, are solid materials
10 having a melting point of less than about 80°C, or are liquids at a temperature of less than about 40°C. Preferably the fabric care compositions are fabric softening compositions.

BACKGROUND OF THE INVENTION

Consumers worldwide experience color damage to their clothing from
15 exposure to the sun during drying and during wear especially for those consumers living in tropical and subtropical climates. Despite extensive efforts by the textile industry to develop light stable dyes and after-treatments to improve light-fastness of dyes, the fading of clothing still remains a problem.

20 It has now been discovered that visible light is responsible for a significant amount of dye fading on clothing. For example, visible light has a higher contribution to light fading than UV-A, which has a higher contribution to light fading than UV-B. Antioxidants provide broader sun-fade fabric protection for the consumer than sunscreen agents because
25 antioxidant effectiveness is not dependent upon the absorption of light.

Because antioxidant compounds are expensive, it is desirable to select and utilize the most efficient compounds in order to minimize the cost of the compositions.

The incorporation of antioxidants into fabric softeners and detergents
30 for various benefits is known in the art. For example, USP 4,900,469, Clorox, teaches antioxidants in detergents for bleach stability. Antioxidants have been used in softeners and detergents to prevent fabric yellowing and to control malodor. (See, JP 72/116,783, Kao.)

Attempts, thus far to minimize or eliminate the fading of fabrics from
35 the sun via a fabric care composition have been unsatisfactory due to higher cost, the difficulty of providing broad spectrum protection, formulation

- 2 -

difficulties, etc.

Therefore, an object of the present invention is to provide a fabric care composition with an antioxidant compound, effective at low levels, which will reduce the rate of sun-fading of clothing made from a variety of fabric types.

5 Therefore, it is a further object of the present invention to provide a delivery system to efficiently deposit and to efficiently distribute antioxidant compounds onto fabrics.

10 Therefore, it is a further object of the present invention to provide a convenient way for the consumer to reduce the rate of sun-fading of clothing by treating the clothing with fabric softening compositions containing antioxidant compounds during the rinse cycle of the laundering process.

All of the above patents and patent applications are incorporated herein by reference.

SUMMARY OF THE INVENTION

15 The present invention relates to fabric care compositions to reduce the fading of fabrics from sunlight, comprising:

(A) from about 1% to about 25% by weight of the composition of a non-fabric staining, light stable antioxidant compound, preferably containing at least one C₈-C₂₂ hydrocarbon fatty organic moiety;

20 (B) from 3% to about 50% by weight of the composition of a fabric softening compound;

(C) from about 25% to about 95% by weight of the composition of a carrier material; and

25 (D) optionally, from about 0% to about 20% by weight of the composition of a non-fabric staining, light stable, sunscreen compound, preferably containing at least one C₈-C₂₂ hydrocarbon fatty organic moiety;

30 wherein the antioxidant compound is a solid having a melting point of less than about 80°C or is a liquid at a temperature of less than about 40°C; wherein the sunscreen compound absorbs light at a wavelength of from about 290nm to about 450nm; and wherein the sunscreen compound is a solid having a melting point of from about 25°C to about 90°C or a viscous liquid at a temperature of less than about 40°C.

The composition of the present invention deposits from about 0.5mg/g fabric to about 5mg/g of sun-fade active to fabric to reduce the sun fading of

- 3 -

the fabric. Surprisingly, compositions of the present invention containing fairly low levels of sun-fade compounds (i.e., from about 3% to about 15%) will deposit these levels on fabric. This minimizes the cost of the composition.

5 All percentages and ratios used herein are by weight of the total composition. All measurements made are at 25°C, unless otherwise designated. The invention herein can comprise, consist of, or consist essentially of, the essential components as well as the optional ingredients and components described herein.

10



DETAILED DESCRIPTION OF THE INVENTION

(A) Antioxidant Compounds

The present invention relates to fabric care compositions to reduce the fading of fabrics from sunlight, comprising from about 1% to about 25%, preferably from about 2% to about 20%, more preferably from about 3% to about 15%, by weight of the composition, of a non-fabric staining, light stable, antioxidant compound preferably containing at least one C₈-C₂₂ hydrocarbon fatty organic moiety, more preferably at least one C₁₂ to C₁₈ hydrocarbon fatty organic moiety; wherein the antioxidant compound is a solid having a melting point of less than about 80°C, preferably less than about 50°C, or a liquid at a temperature of less than about 40°C; preferably from about 0°C to about 25°C.





20

Preferably these antioxidant compounds are selected from the group consisting of:



25

- 4 -



and mixtures thereof (VII);

wherein R¹ and R³ are the same or different moiety selected from the group consisting of hydroxy, C₁-C₆ alkoxy groups (i.e. methoxy, ethoxy, propoxy, butoxy groups), branched or straight chained C₁ to C₆ alkyl groups, and mixtures thereof, preferably branched C₁ to C₆ alkyl groups, more preferably "tert"-butyl groups;

R² is a hydroxy group;

R⁴ is a saturated or unsaturated C₁ to C₂₂ alkyl group or hydrogen, preferably a methyl group;

R⁵ is a saturated or unsaturated C₁ to C₂₂ alkyl group which can contain ethoxylated or propoxylated groups, preferably a saturated or unsaturated C₈ to C₂₂ alkyl group, more preferably a saturated or unsaturated C₁₂ to C₁₈ alkyl group, and even more preferably a saturated or unsaturated C₁₂ to C₁₄ alkyl group;

R⁶ is a branched or straight chained, saturated or unsaturated, C₈ to C₂₂ alkyl group, preferably a branched or straight chained, saturated or unsaturated C₁₂ to C₁₈ alkyl group, more preferably a branched or straight chained, saturated or unsaturated C₁₆ to C₁₈ alkyl group;

- 5 -

T is $\begin{array}{c} \text{O} \text{ OR } \text{N} \\ | \quad | \\ \text{Z} \end{array}$;

W is $\begin{array}{c} \text{Y} \\ | \\ (\text{OCHCH}_2)_n \end{array}$ OR $\begin{array}{c} \text{Z} \\ | \\ \text{N}-(\text{CH}_2)_q \end{array}$;

Y is a hydrogen or a C₁ to C₅ alkyl group, preferably hydrogen or a methyl group, more preferably hydrogen;

5 Z is hydrogen, a C₁ to C₃ alkyl group (which may be interrupted by an ester, amide, or ether group), a C₁ to C₃₀ alkoxy group (which may be interrupted by an ester, amide, or ether group), preferably hydrogen or a C₁ to C₆ alkyl group;

m is from 0 to 4, preferably from 0 to 2;

10 n is from 1 to 50, preferably from 1 to 10, more preferably 1; and

q is from 1 to 10, preferably from 2 to 6.

The antioxidants of the present invention can also comprise quaternary ammonium salts of Formulas I, III, IV, and VI although amines of Formulas I, III, IV, and VI are preferred.

15 The antioxidant compounds of the present invention preferably comprise amine compounds of Formulas I, II, III, and mixtures thereof.

A preferred compound of formula (II) is Octadecyl 3,5-di-tert-butyl-4-hydroxyhydrocinnamate, known under the trade name of Irganox® 1076 available from Ciba-Geigy Co.

20 A preferred compound of formula (III) is N,N-bis[ethyl 3',5'-di-tert-butyl-4'-hydroxybenzoate] N-cocoamine.

A preferred compound of formula IV is 2-(N-coco-N-methylamino)ethyl 2',4'-trans, trans-hexadienoate.

25 The preferred antioxidants of the present invention include 2-(N-methyl-N-cocoamino)ethyl 3',5'-di-tert-butyl-4'-hydroxybenzoate; 2-(N, N-dimethyl-amino)ethyl 3',5'-di-tert-butyl-4'-hydroxybenzoate; 2-(N-methyl-N-cocoamino)ethyl 3',4',5'-trihydroxybenzoate; and mixtures thereof, more preferably 2-(N-methyl-N-cocoamino)ethyl 3',5'-di-tert-butyl-4'-hydroxy benzoate. Of these compounds the butylated derivatives are preferred in the compositions of the present invention because tri-hydroxybenzoates have a tendency to discolor upon exposure to light.

30 The antioxidant compounds of the present invention demonstrate light stability in the compositions of the present invention. "Light stable" means that the antioxidant compounds in the compositions of the present invention do not discolor when exposed to either sunlight or simulated sunlight for

- 6 -

approximately 2 to 60 hours at a temperature of from about 25°C to about 45°C.

Antioxidant compounds and free radical scavengers can generally protect dyes from degradation by first preventing the generation of singlet oxygen and peroxy radicals, and thereafter terminating the degradation pathways. Not to be limited by theory, a general discussion of the mode of action for antioxidants and free radical scavengers is disclosed in Kirk Othmer, The Encyclopedia of Chemical Technology, Volume 3, pages 128 - 148, Third Edition (1978), which is incorporated herein by reference in its entirety.

The composition of the present invention deposits from about 0.5mg/g fabric to about 5mg/g fabric of the sun-fade actives to reduce the sun fading of the fabric.

Treatment of fabric with compositions of the present invention repeatedly during the rinse cycle of a typical laundering process, may result in higher deposition levels, which contributes even further to the sun-fading benefit.

Conventional antioxidants are generally less suitable for application to fabric because they less effectively deposit on surfaces, they sometimes discolor fabrics, they are not always stable or compatible with other components in the composition, and they are often expensive.

Preferred antioxidant compounds and methods of making them are disclosed in P&G Copending Application Serial No. _____, Sivik and Severns, filed on July 26, 1994, which is herein incorporated by reference.


(B) Fabric Softening Compounds

The present invention also comprises, a fabric softening compound at a level of from about 3% to about 50%, preferably from about 6% to about 32%, and more preferably from about 8% to about 26%, even more preferably from about 15% to about 26%, by weight of the composition. The fabric softening compound is selected to minimize any adverse interaction with the antioxidant compound and optional sunscreen compound.

Some preferred fabric softening compounds are diester quaternary ammonium material (hereinafter referred to as "DEQA"). Two primary types of DEQA are preferred.

1. The first type of DEQA comprises, compounds of the formula:

- 7 -



wherein

each Y' is -O-(O)C-, or -C(O)-O-; preferably -O-(O)C-;

p is 2 or 3; preferably 2;

5 each q² is 1 to 5, preferably 2;

each R⁷ substituent is a short chain C₁-C₆, preferably C₁-C₃ alkyl or hydroxyalkyl group, e.g., methyl (most preferred), ethyl, propyl, hydroxyethyl, and the like, benzyl group and mixtures thereof;

10 each R⁸ is a long chain C₁₁-C₂₁ hydrocarbyl, or substituted hydrocarbyl substituent, preferably C₁₅-C₁₉ alkyl or alkylene, most preferably C₁₅-C₁₇ straight chain alkyl or alkylene such that the Iodine Value (hereinafter referred to as IV) of the parent fatty acid of this R⁸ group is from about 5 to about 100;

15 and counterion, X⁻, can be any softener-compatible anion, preferably the anion of a strong acid, for example, chloride, bromide, methylsulfate, formate, sulfate, nitrate and the like.

20 The anion can also, but less preferably, carry a double charge in which case X⁻ represents half a group. These materials containing a divalent anion, in general, are more difficult to formulate as stable concentrated liquid compositions.

Any reference to Iodine Values hereinafter refers to the Iodine Value of the parent fatty acid groups, and not the resulting DEQA compound.

25 It will be understood that substituents R⁷ and R⁸ can optionally be substituted with various groups such as alkoxyl or hydroxyl groups, and can be straight, or branched so long as the groups maintain their basically hydrophobic character. The preferred compounds can be considered to be diester variations of ditallow dimethyl ammonium chloride (hereinafter referred to as "DTDMAC"), which is a widely used fabric softener. At least 80% of the DEQA is in the diester form, and from 0% to about 20% can be
30 DEQA monoester (e.g., only one -Y'-R⁸ group).


35 As used herein, when the diester is specified, it can include the monoester that is present. For softening, under no/low detergent carry-over laundry conditions the percentage of monoester should be as low as possible, preferably no more than about 2.5%. However, under high, anionic detergent surfactant or detergent builder carry-over conditions, some monoester can be preferred. The overall ratios of diester to

- 8 -

monoester are from about 100:1 to about 2:1, preferably from about 50:1 to about 5:1, more preferably from about 13:1 to about 8:1. Under high detergent carry-over conditions, the di/monoester ratio is preferably about 11:1. The level of monoester present can be controlled in manufacturing the DEQA.


The above compounds, used as the softening material in the practice of this invention, can be prepared using standard reaction chemistry. In one synthesis of a diester variation of DTDMAC, an amine of the formula $R^7N(CH_2CH_2OH)_2$ is esterified at both hydroxyl groups with an acid chloride of the formula $R^8C(O)Cl$, then quaternized with an alkyl halide, RX , to yield the desired reaction product (wherein R^7 and R^8 are as defined hereinbefore). However, it will be appreciated by those skilled in the chemical arts that this reaction sequence allows a broad selection of agents to be prepared. The following are non-limiting examples (wherein all long-chain alkyl substituents are straight-chain):

Saturated



where $-O-(O)C-R^8$ is derived from hardened tallow fatty acid.

Unsaturated



- 9 -




|




where $-\text{O}-(\text{O})\text{C}-\text{R}^8$ is derived from partially hydrogenated tallow or modified tallow having the iodine value set forth herein.

2. A second type of DEQA has the general formula:



10 wherein each Y' , R^7 , R^8 , and X^- have the same meanings as before for DEQA (1). Such compounds include those having the formula:



where $-\text{O}-(\text{O})\text{C}-\text{R}^8$ is derived from hardened tallow fatty acid.

15 Preferably each R^7 is a methyl or ethyl group, and preferably each R^8 is in the range of C_{15} to C_{19} straight chain alkyl or alkylene group. Degrees of branching and substitution can be present in the alkyl chains. As used herein, when the diester is specified, it can include the monoester that is present. The amount of monoester that may be present is the same as in DEQA (1).

20 A specific example of a diester quaternary ammonium compound suitable for use in this invention herein includes:

1,2-ditallowyloxy-3-(trimethylammonio)propane chloride.

25 Other examples of suitable diester quaternary ammoniums of this invention are obtained by, e.g.: replacing "tallowyl" in the above compounds with, for example, cocoyl, palmoyl, lauryl, oleoyl, stearyl, palmityl, or the like; replacing "methyl" in the above compounds with ethyl, propyl, isopropyl, butyl, isobutyl, t-butyl, benzyl, or the hydroxy substituted analogs of these radicals; replacing "chloride" in the above compounds with bromide, methylsulfate, formate, sulfate, nitrate, and the like.

30 In fact, the anion is merely present as a counterion of the positively charged quaternary ammonium compounds disclosed herein. The scope of this invention is not considered limited to any particular anion.


The materials herein can be prepared by standard esterification and

- 10 -

quaternization reactions, using readily available starting materials. General methods for preparation are disclosed in U.S. Pat. No. 4,137,180, Naik et al., issued Jan. 30, 1979, which is incorporated herein by reference.

The present invention may also contain mixtures of DEQA (1) and
5 DEQA (2).

3. Other preferred fabric softening compounds are Di(2-amidoethyl)methyl quaternary ammonium salts, especially those having the formula:



10

wherein each R^9 is a C_8 to C_{20} alkyl or alkenyl group, preferably C_{14} - C_{18} alkyl group; R^{10} is a hydrogen methyl, ethyl, or $(\text{C}_r\text{H}_{2r}\text{O})_s\text{H}$, preferably $(\text{C}_r\text{H}_{2r}\text{O})_s\text{H}$; wherein r is from 1 to 5, preferably 2, wherein s is from 1 to 5, preferably 3, and X^- has the same meaning as before for formula DEQA
15 (1). This class of agents is disclosed in U.S. Pat. No. 4,134,840, Minegishi et al., issued January 16, 1979, U.S. Pat. No. 4,439,335, Burns, issued March 27, 1984, and U.S. Pat. No. 4,767,547, Straathof et al., issued Aug. 30, 1988, all of which are incorporated herein by reference in their entirety.


Exemplary materials are di(2-hydrogenatedtallowamidoethyl)
20 ethoxylated (2 ethoxy groups) methylammonium) methylsulfate, di(2-oleylamidoethyl) propoxylated (3-propoxy groups) methyl ammonium bromide, di(2-palmitoylamidoethyl)dimethyl ammonium ethylsulfate and di(2-stearylamoethyl) propoxylated (2 propoxy groups) methyl ammonium methylsulfate.

25 An exemplary commercial material suitable for use as the fabric softening compound (3) herein is di(2-tallowamidoethyl) ethoxylated methylammonium methylsulfate sold under the name Varisoft® 222, from Witco Chemical Company.

30 Tallow is a convenient and inexpensive source of long chain alkyl and alkenyl materials.

4. A further softening material suitable for use in the composition of this invention has the formula:

- 11 -



wherein


each R¹¹ and R¹² is a C₈-C₂₄ alkyl or alkenyl group, preferably a C₁₂-C₁₈ alkyl group;

5 each R¹³ and R¹⁴ is a C₁-C₆ alkyl group, preferably C₁-C₃ alkyl group;

X⁻ is any anion as discussed hereinbefore for DEQA (1), preferably selected from halide, methyl sulfate, and ethyl sulfate.

Representative examples of the quaternary softeners include ditallow
 10 dimethylammonium chloride; ditallowdimethylammonium methylsulfate; dihexadecyldimethylammonium chloride; di(hydrogenatedtallowalkyl) dimethylammonium chloride. A more complete description and general methods of making these compounds can be found in U.S. Pat. No. 4,401,578, Verbruggen et al., issued Aug. 30, 1983, U.S. Pat. No.
 15 4,439,335, Burns, issued Mar. 27, 1984, and U.S. Pat. No. 4,923,642, Rutzen et al., issued May 8, 1990, all of which are incorporated herein by reference in their entirety.

5. Another preferred fabric softening material is a substituted imidazoline fabric softener material having the formula:



20

wherein each Y² is either: -N(R¹⁶)C(O)-, in which each R¹⁶ is selected from the group consisting of C₁-C₆ alkyl, alkenyl, or hydroxy alkyl group, or hydrogen; -OC(O)-; or a single covalent bond;

25 wherein each R¹⁵ is independently, a hydrocarbonyl, preferably alkyl, group containing from about 11 to about 31, preferably from about 13 to about 17, carbon atoms, more preferably a straight chain alkyl group, and wherein each n² independently is from 2 to 4, preferably with both n²'s being 2.

30 It will be understood that each R¹⁵ can optionally be substituted with various groups such as alkoxy or hydroxyl, or can be branched, but such materials are not preferred herein. In addition R¹⁵ can optionally be

- 12 -

unsaturated (e.g., alkenyl groups).

The above materials used as the fabric softening material in the practice of this invention are prepared using standard reaction chemistry. Disclosure of imidazoline fabric softener materials useful herein can be found in U.S. Pat. Nos.: 4,661,267, Dekker, Konig, Straathof, and Gosselink, issued April 28, 1987; 4,724,089, Konig and Buzzaccarini, issued Feb. 9, 1988; 4,806,255, Konig and Buzzaccarini, issued Feb. 21, 1989; 4,855,072, Trinh, Wahl, Swartley, and Hemingway, issued Aug. 8, 1989; 4,933,096, Demeyere, Hardy, and Konig, issued June 12, 1990; and 4,954,635, Rosario-Jansen and Lichtenwalter, issued Sept. 4, 1990; U.S. Pat. No. 5,013,846, Walley, issued May 7, 1993, all of said patents being incorporated herein by reference in their entirety.

These reaction products are mixtures of several compounds in view of the multifunctional structures of polyamines (see, for example, the publication by H.W. Eckert in Fette-Seifen-Anstrichmittel, September 1972, pages 527-533).

For example, in a typical synthesis of a substituted imidazoline ester softening material of formula (5) above, a fatty acid of the formula $R^{15}COOH$ is reacted with a hydroxyalkylenediamine of the formula $NH_2-(CH_2)_{n^2}-NH-(CH_2)_{n^2}OH$ to form an intermediate imidazoline precursor, which is then reacted with a methyl ester of a fatty acid of the formula:






to yield the desired reaction product (wherein R^{15} , and n^2 are as defined above). It will be appreciated by those of ordinary skill in the chemical arts that this reaction sequence allows a broad selection of materials to be prepared. As illustrative, nonlimiting examples there can be mentioned the following di-alkyl imidazoline compounds (wherein all long-chain alkyl substituents are straight-chain)): 1-stearoyloxyethyl-2-stearyl imidazoline, 1-stearoyloxyethyl-2-palmityl imidazoline, 1-stearoyloxyethyl-2-myristyl imidazoline, 1-palmitoyloxyethyl-2-palmityl imidazoline, 1-palmitoyloxyethyl-2-myristyl imidazoline, 1-stearoyloxyethyl-2-tallow imidazoline, 1-myristoyloxyethyl-2-tallow imidazoline, 1-palmitoyloxyethyl-2-tallow imidazoline, 1-cocoyloxyethyl-2-coconut imidazoline, 1-tallowyloxyethyl-2-tallow imidazoline, 1-[hydrogenated tallowyl amido]ethyl-2-hydrogenated tallow imidazoline, 1-[stearyl amido]ethyl-2-stearyl imidazoline, 1-[palmityl

- 13 -

amido]ethyl-2-palmityl imidazoline, 1-[oleylamido]ethyl-2-oleyl imidazoline, and mixtures of such imidazoline materials.

Other types of substituted imidazoline softening materials can also be used herein. Examples of such materials include:


5



wherein R^{15} , and n^2 are as previously defined for formula (5). The above list is intended to be illustrative of other types of substituted imidazoline softening materials which can optionally be used in the present invention, but which are not preferred.

10

Still other preferred fabric softener compounds useful in the compositions of the present invention have the formula:



15

wherein each R^{15} is independently, hydrocarbyl, preferably alkyl, groups containing from about 11 to about 31, preferably from about 13 to about 17, carbon atoms, more preferably straight chain alkyl groups; n^3 is 1-5, preferably 1-3; and n^4 is 1-5, preferably 2.

20

The compositions of the present invention can also comprise mixtures of softener compounds described hereinabove.

- 14 -

(C) Liquid Carrier and/or Diluent

The liquid carrier and/or diluent employed in the instant compositions is a non-toxic, non-irritating substance which when mixed with the fabric softening compound described hereinbefore, makes the antioxidants and sunscreen compounds (described hereinbefore and hereinafter) more suitable to be deposited onto fabrics by the consumer. The compositions of the present invention comprise from about 25% to about 95%, preferably from about 50% to about 90% of the liquid carrier. Preferably the carrier and/or diluent is primarily water due to its low cost relative availability, safety, and environmental compatibility. The level of water in the liquid carrier is at least about 50%, preferably at least about 60%, by weight of the carrier. Mixtures of water and low molecular weight, e.g., <100 g/mol, organic solvent, e.g., lower alcohol such as ethanol, propanol, isopropanol or butanol are useful as the carrier liquid. Low molecular weight alcohols include monohydric, dihydric (glycol, etc.) trihydric (glycerol, etc.), and higher polyhydric (polyols) alcohols.

(D) Optional Ingredients

Sunscreen Agents

The present invention relates to a fabric care composition to reduce the fading of fabrics from sunlight, optionally comprising from about 0% to about 25%, preferably from about 1% to about 25%, more preferably from about 2% to about 20%, even more preferably from about 3% to about 15%, by weight of the composition, of a non-fabric staining, light stable, sunscreen compound preferably containing at least one C₈-C₂₂ hydrocarbon fatty organic moiety, wherein the sunscreen compound absorbs light at a wavelength of from about 290nm to about 450nm; wherein the sunscreen compound is a solid having a melting point of from about 25°C to about 90°C or a viscous liquid at a temperature of less than about 40°C.

More preferably the sunscreen compound contains at least one C₁₂-C₁₈ hydrocarbon fatty organic moiety. Preferably the sunscreen compound absorbs light at a wavelength of from about 315nm to about 400nm and is a solid having a melting point of from about 25°C to about 75°C or a viscous liquid at a temperature of less than about 40°C.

More preferably the sunscreen compound is a solid having a melting point of from about 25°C to about 50°C or a viscous liquid at a temperature of less than about 40°C.


- 15 -

The compositions of the present invention deposit from about 0.5mg/g fabric to about 5mg/g fabric of sunscreen active onto fabric to reduce the sun fading of fabric. Surprisingly, compositions of the present invention containing fairly low levels of sunscreen compounds (i.e. from about 3% to about 15%) will deposit these levels on fabric. This minimizes the cost of the composition.

Preferably these sunscreen compounds contain at least one chromophore selected from the group consisting of:


10

(I)



Phenylbenzotriazole


(II)



15

2-Hydroxybenzophenone


(III)



20

Dibenzoylmethane


(IV)



Phenylbenzimidazole

25


(V)



Esters of P-Aminobenzoic Acid (PABA)

- 16 -


(VI)



Esters of Cinnamic Acid


5

(VII)



Esters of 2-Cyano-3,3-diphenyl-2-Propenoic Acid

(VIII)



Esters of Salicylic Acid

and

15

(IX)

mixtures thereof;





wherein each R is a hydrogen, methyl, ethyl, C₁ to C₂₂ branched or straight chain alkyl group and mixtures thereof, preferably a methyl group; and wherein the compound containing the chromophore is a non-fabric staining, light stable compound containing preferably at least one C₈-C₂₂ hydrocarbon fatty organic moiety; wherein the chromophore absorbs light at a wavelength of from about 290nm to about 450nm; wherein the compound is a solid having a melting point of from about 25°C to about 90°C or a viscous liquid at a temperature of less than about 40°C.

Preferably the sunscreen compound is a compound containing at least one chromophore selected from the group consisting of (I), (II), (III), (IV), (V), (VII), (VIII), and mixtures thereof; more preferably the sunscreen compound is a compound containing at least one chromophore selected from the group consisting of (I), (II), (III), (IV), and mixtures thereof; and even more preferably (I), (II), and mixtures thereof. Furthermore,

compounds containing at least one formula (I) chromophore are especially preferred.

More preferably these sunscreen compounds are selected from the group consisting of:

5



10

(V)

mixtures thereof;

wherein R¹ is a hydrogen or a C₁ to C₂₂ alkyl group; preferably a hydrogen or a methyl group;

15

R² is a hydrogen or a C₁ to C₂₂ alkyl group; preferably a hydrogen or methyl group;

R³ is a C₁ to C₂₂ alkyl group; preferably a C₈ to C₁₈ alkyl group; more preferably a C₁₂ to C₁₈ alkyl group;

20

each R⁴ is a hydrogen, a C₁ to C₂₂ alkyl group, and mixtures thereof; preferably a methyl group, a C₈ to C₂₂ alkyl group, and mixtures thereof, more preferably one R⁴ is a C₁₀ to C₂₀ alkyl group, preferably a C₁₂ to C₁₈ alkyl group, and the other R⁴ group is a methyl group;

25

each R⁵ is a hydrogen, hydroxy group, a C₁ to C₂₂ alkyl group, (which can be an ester, amide, or ether interrupted group), and mixtures thereof, preferably a hydrogen, hydroxy group, and mixtures thereof, more preferably hydrogen;

R⁶ is a hydrogen, hydroxy group, methoxy group, a C₁ to C₂₂ alkyl

group, (which can be an ester, amide, or ether interrupted group), and mixtures thereof, preferably a C₁ to C₂₂ alkyl group with an ether or ester interrupted group, and mixtures thereof, more preferably a methoxy group, a C₈ to C₂₂ alkyl group with an ester interrupted group, and mixtures thereof;

R⁷ is a hydrogen, hydroxy group, or a C₁ to C₂₀ alkyl group, preferably a hydrogen or a hydroxy group, more preferably a hydroxy group;

R⁸ is a hydrogen, hydroxy group, or a C₁ to C₂₂ alkyl group, (which can be an ester, amide, or ether interrupted group); preferably a C₁ to C₂₂ alkyl group; more preferably a C₁ to C₈ alkyl group, and even more preferably a methyl group, a "tert"-amyl group, or a dodecyl group;

R⁹ is a hydrogen, hydroxy group, or a C₁ to C₂₂ alkyl group, (which can be an ester, amide, or ether interrupted group); preferably a "tert"-amyl, methyl phenyl group, or a coco dimethyl butanoate group.

The sunscreen compounds of the present invention absorb light at a wavelength of from about 290nm to about 450nm, preferably from about 315nm to about 400nm.

In the compositions of the present invention, R₅, R₆, R₇, R₈, and R₉ can be interrupted by the corresponding ester linkage interrupted group with a short alkylene (C₁-C₄) group.

The physical properties of the sunscreen compound affects both compatibility with the softener compound and efficacy on the fabrics. Therefore, not all sunscreen agents (i.e. commercially available sunscreens) provide activity. Derivatization of known sunscreen structures with a C₈-C₂₂ fatty hydrocarbon chain typically reduces the melting point of the sunscreen agent which allows better incorporation into the softener matrix and better deposition and performance on fabric.

Preferred sunscreen agents of the present invention are selected from the group consisting of fatty derivatives of PABA, benzophenones, cinnamic acid, and phenyl benzotriazoles, specifically, octyl dimethyl PABA, dimethyl PABA lauryl ester, dimethyl PABA oleyl ester, benzophenone-3 coco acetate ether, benzophenone-3 available under the tradename Spectra-Sorb® UV-9 from Cyanamid, 2-(2'-Hydroxy-3',5'-di-tert-amylphenyl benzotriazole which is available under the tradename Tinuvin® 328 from Ciba-Geigy, Tinuvin® coco ester 2-(2'-Hydroxy,3'-(cocodimethyl butanoate)-

- 19 -

5'-methylphenyl) benzotriazole, and mixtures thereof. Preferred sunscreens agents of the present invention are benzotriazole derivatives since these materials absorb broadly throughout the UV region. Preferred benzotriazole derivatives are selected from the group consisting of 2-(2'-Hydroxy,3'-
5 dodecyl,5'-methylphenyl) benzotriazole available under the tradename Tinuvin®571 (Ciba) available from Ciba-Geigy, and Coco 3-[3'-(2H-benzotriazol-2'-yl)-5-tert-butyl-4'-hydroxyphenyl] propionate.

The sunscreen agents of the present invention demonstrate light stability in the compositions of the present invention. "Light stable" means
10 that the sunscreen compounds in the compositions of the present invention do not decompose when exposed to either sunlight or simulated sunlight for approximately 2 to 60 hours at a temperature of from about 25°C to about 45°C.

Optional Viscosity/Dispersibility Modifiers

15 As stated before, relatively concentrated compositions containing both saturated and unsaturated diester quaternary ammonium compounds can be prepared that are stable without the addition of concentration aids. However, the compositions of the present invention may require organic and/or inorganic concentration aids to go to even higher concentrations
20 and/or to meet higher stability standards depending on the other ingredients. These concentration aids which typically can be viscosity modifiers may be needed, or preferred, for ensuring stability under extreme conditions when particular softener active levels are used. The surfactant concentration aids are typically selected from the group consisting of (1)
25 single long chain alkyl cationic surfactants; (2) nonionic surfactants; (3) amine oxides; (4) fatty acids; and (5) mixtures thereof. These aids are described in P&G Copending Application Serial No. 08/142,739, filed October 25, 1993, Wahl et al., specifically on page 14, line 12 to page 20, line 12, which is herein incorporated by reference.

Optional Soil-Release Agent


30 Optionally, the compositions herein contain from 0% to about 10%, preferably from about 0.1% to about 5%, more preferably from about 0.1% to about 2%, of a soil release agent. Preferably, such a soil release agent is a polymer. Polymeric soil release agents useful in the present invention
35 include copolymeric blocks of terephthalate and polyethylene oxide or polypropylene oxide, and the like. U.S. Pat. No. 4,956,447, Gosselink/Hardy/Trinh, issued Sept. 11, 1990, discloses specific preferred

soil release agents comprising cationic functionalities, said patent being incorporated herein by reference in its entirety.

A preferred soil release agent is a copolymer having blocks of terephthalate and polyethylene oxide. More specifically, these polymers are comprised of repeating units of ethylene and/or propylene terephthalate and polyethylene oxide terephthalate at a molar ratio of ethylene terephthalate units to polyethylene oxide terephthalate units of from about 25:75 to about 35:65, said polyethylene oxide terephthalate containing polyethylene oxide blocks having molecular weights of from about 300 to about 2000. The molecular weight of this polymeric soil release agent is in the range of from about 5,000 to about 55,000.

Another preferred polymeric soil release agent is a crystallizable polyester with repeat units of ethylene terephthalate units containing from about 10% to about 15% by weight of ethylene terephthalate units together with from about 10% to about 50% by weight of polyoxyethylene terephthalate units, derived from a polyoxyethylene glycol of average molecular weight of from about 300 to about 6,000, and the molar ratio of ethylene terephthalate units to polyoxyethylene terephthalate units in the crystallizable polymeric compound is between 2:1 and 6:1. Examples of this polymer include the commercially available materials Zelcon® 4780 (from DuPont) and Milease® T (from ICI).

Highly preferred soil release agents are polymers of the generic formula (I):



in which X can be any suitable capping group, with each X being selected from the group consisting of H, and alkyl or acyl groups containing from about 1 to about 4 carbon atoms, preferably methyl. n is selected for water solubility and generally is from about 6 to about 113, preferably from about 20 to about 50. u is critical to formulation in a liquid composition having a relatively high ionic strength. There should be very little material in which u is greater than 10. Furthermore, there should be at least 20%, preferably at least 40%, of material in which u ranges from about 3 to about 5.

The R¹ moieties are essentially 1,4-phenylene moieties. As used herein, the term "the R¹ moieties are essentially 1,4-phenylene moieties" refers to compounds where the R⁻ moieties consist entirely of 1,4-phenylene moieties, or are partially substituted with other arylene or alkarylene

moieties, alkylene moieties, alkenylene moieties, or mixtures thereof. Arylene and alkarylene moieties which can be partially substituted for 1,4-phenylene include 1,3-phenylene, 1,2-phenylene, 1,8-naphthylene, 1,4-naphthylene, 2,2-biphenylene, 4,4-biphenylene and mixtures thereof.

5 Alkylene and alkenylene moieties which can be partially substituted include ethylene, 1,2-propylene, 1,4-butylene, 1,5-pentylene, 1,6-hexamethylene, 1,7-heptamethylene, 1,8-octamethylene, 1,4-cyclohexylene, and mixtures thereof.

For the R^1 moieties, the degree of partial substitution with moieties other than 1,4-phenylene should be such that the soil release properties of the compound are not adversely affected to any great extent. Generally, the degree of partial substitution which can be tolerated will depend upon the backbone length of the compound, i.e., longer backbones can have greater partial substitution for 1,4-phenylene moieties. Usually, compounds where

10 the R^1 comprise from about 50% to about 100% 1,4-phenylene moieties (from 0 to about 50% moieties other than 1,4-phenylene) have adequate soil release activity. For example, polyesters made according to the present invention with a 40:60 mole ratio of isophthalic (1,3-phenylene) to terephthalic (1,4-phenylene) acid have adequate soil release activity.

15 However, because most polyesters used in fiber making comprise ethylene terephthalate units, it is usually desirable to minimize the degree of partial substitution with moieties other than 1,4-phenylene for best soil release activity. Preferably, the R^1 moieties consist entirely of (i.e., comprise 100%) 1,4-phenylene moieties, i.e., each R^1 moiety is 1,4-phenylene.

25 For the R^2 moieties, suitable ethylene or substituted ethylene moieties include ethylene, 1,2-propylene, 1,2-butylene, 1,2-hexylene, 3-methoxy-1,2-propylene and mixtures thereof. Preferably, the R^2 moieties are essentially ethylene moieties, 1,2-propylene moieties or mixture thereof. Inclusion of a greater percentage of ethylene moieties tends to improve the soil release activity of compounds. Inclusion of a greater percentage of 1,2-propylene

30 moieties tends to improve the water solubility of the compounds.

Therefore, the use of 1,2-propylene moieties or a similar branched equivalent is desirable for incorporation of any substantial part of the soil release component in the liquid fabric softener compositions. Preferably,

35 from about 75% to about 100%, more preferably from about 90% to about 100%, of the R^2 moieties are 1,2-propylene moieties.

The value for each n is at least about 6, and preferably is at least

- 22 -

about 10. The value for each n usually ranges from about 12 to about 113. Typically, the value for each n is in the range of from about 12 to about 43.

A more complete disclosure of these highly preferred soil release agents is contained in European Pat. Application 185,427, Gosselink,
5 published June 25, 1986, incorporated herein by reference.

Optional Bacteriocides

Examples of bacteriocides that can be used in the compositions of this invention are parabens, especially methyl, glutaraldehyde, formaldehyde, 2-bromo-2-nitropropane-1,3-diol sold by Inolex Chemicals under the trade
10 name Bronopol®, and a mixture of 5-chloro-2-methyl-4-isothiazoline-3-one and 2-methyl-4-isothiazoline-3-one sold by Rohm and Haas Company under the trade name Kathon® CG/ICP. Typical levels of bacteriocides used in the present compositions are from about 1 to about 2,000 ppm by weight of
15 the composition, depending on the type of bacteriocide selected. Methyl paraben is especially effective for mold growth in aqueous fabric softening compositions with under 10% by weight of the diester compound.

Other Optional Ingredients

The present invention can include other optional components conventionally used in textile treatment compositions, for example,
20 colorants, perfumes, preservatives, optical brighteners, opacifiers, fabric conditioning agents, surfactants, stabilizers such as guar gum and polyethylene glycol, anti-shrinkage agents, anti-wrinkle agents, fabric crisping agents, spotting agents, germicides, fungicides, anti-corrosion agents, antifoam agents, and the like.

25 An optional additional softening agent of the present invention is a nonionic fabric softener material. Typically, such nonionic fabric softener materials have an HLB of from about 2 to about 9, more typically from about 3 to about 7. Such nonionic fabric softener materials tend to be readily dispersed either by themselves, or when combined with other materials
30 such as single-long-chain alkyl cationic surfactant described hereinbefore. Dispersibility can be improved by using more single-long-chain alkyl cationic surfactant, mixture with other materials as set forth hereinafter, use of hotter water, and/or more agitation. In general, the materials selected should be relatively crystalline, higher melting, (e.g., >~50°C) and relatively
35 water-insoluble.

The level of optional nonionic softener in the liquid composition is typically from about 0.5% to about 10%, preferably from about 1% to about

- 23 -

5% by weight of the composition.

Preferred nonionic softeners are disclosed in detail in P&G Copending Application Serial No. 08/142,739, filed October 25, 1993, Wahl et al., on page 27, line 23 to page 31, line 11, which this specific section is herein
5 incorporated by reference.

In the method aspect of this invention, fabrics or fibers are contacted with an effective amount, generally from about 10 ml to about 150 ml (per 3.5 kg of fiber or fabric being treated) of the softener compositions herein in an aqueous bath. Of course, the amount used is based upon the judgment
10 of the user, depending on concentration of the composition, fiber or fabric type, degree of softness desired, and the like. Typically, about 20-40 mls of a 23% to a 26% dispersion of softening compounds are used in a 25 gallon laundry rinse both to soften and provide antistatic benefits to a 3.5 kg load of mixed fabrics. Preferably, the rinse bath contains from about 10 to about
15 1,000 ppm, preferably from about 50 to about 500 ppm, more preferably from about 70 to about 110 ppm, of the DEQA fabric softening compounds herein, and from about 25 ppm to about 100 ppm, preferably from about 40 to about 65 ppm of the sun-fade active compounds herein.

Alternately, the compositions described herein could be used to treat
20 the fabrics by soaking or spraying the compositions, preferably a diluted dispersion, onto the fabrics.

EXAMPLES

The following examples further describe and demonstrate embodiments within the scope of the present invention. The examples are
25 given solely for the purpose of illustration and are not to be construed as limitations of the present invention, as many variations thereof are possible without departing from the spirit and scope of the invention.

EXAMPLES I to VII

| 30 | I | II |
|----|-----------------------------------|-------|
| | Wt. % | Wt. % |
| | Component | |
| | Softener Compound ¹ | 8.7 |
| | Antioxidant Compound ² | 5.0 |
| | Antioxidant Compound ³ | 5.0 |
| 35 | Ethanol | 1.4 |
| | CaCl ₂ | 0.13 |

- 24 -

Water Balance Balance

1 Di(soft tallowoyloxyethyl)dimethyl ammonium chloride.

2 2-(N, N-Dimethylamino)ethyl 3',5'-di-tert-butyl-4'-hydroxybenzoate.

3 2-(N-methyl-N-cocoamino)ethyl 3',5',-di-tert-butyl-4'-hydroxybenzoate.

5

| | III | IV | V |
|--------------------------------------|---------|---------|---------|
| Component | Wt. % | Wt. % | Wt. % |
| Softening Compound ¹ | 8.7 | 8.7 | 8.7 |
| Antioxidant Compound ² | | 5.0 | |
| 10 Antioxidant Compound ³ | | | 5.0 |
| Antioxidant Compound ⁴ | | | 5.0 |
| Ethanol | 1.4 | 1.4 | 1.4 |
| CaCl ₂ | 0.13 | 0.13 | 0.13 |
| Water | Balance | Balance | Balance |

15 1 Di(soft tallowoyloxyethyl)dimethyl ammonium chloride.

2 Octadecyl 3,5-di-tert-butyl-4-hydroxyhydrocinnamate, available under the tradename of Irganox ® 1076, from Ciba Geigy Co.

3 2-(N-methyl-N-cocoamino)ethyl 3',4',5'-tri-hydroxybenzoate.

4 N,N-Bis[ethyl 3', 5'-di-tert-butyl-4'-hydroxybenzoate] N-methylamine.

20

| | VI |
|-----------------------------------|---------|
| Component | Wt. % |
| Softening Compound ¹ | 8.7 |
| Antioxidant Compound ² | 5.0 |
| Ethanol | 1.4 |
| 25 CaCl ₂ | 0.13 |
| Water | Balance |

1 Di(soft tallowoyloxyethyl)dimethyl ammonium chloride.

30 2 N,N-Dimethyl-N,N-bis[ethyl 3',5'-di-tert-butyl-4'-hydroxybenzoate] ammonium chloride.

Examples I to VI are made by the following procedure: The Softener Compound (1) in the amount of 8.7g, ethanol in the amount of 1.4g and the Antioxidant Compound are co-melted in an oven heated to 95°C until the

- 25 -

melt is homogeneous. A mixture of 73.84g water and 10.53g 1N HCl is heated to 80°C. The acidified water is stirred into the co-melt using a high shear mixer (Ultra-Turrax model T-25) for 1 minute. Subsequently, 0.48g of an aqueous 25% CaCl₂ solution is added and the blend is stirred for an additional 1 minute with the high shear mixer. The resulting formulation is allowed to cool to room temperature.

EXAMPLES

| | VII | VIII |
|-----------------------------------|---------|---------|
| Component | Wt. % | Wt. % |
| 10 Softener Compound ¹ | 8.7 | 8.7 |
| Antioxidant Compound ² | | 2.0 |
| Antioxidant Compound ³ | | 2.5 |
| Tinuvin® 328 ⁴ | 3.0 | 2.5 |
| Ethanol | 1.4 | 1.4 |
| 15 CaCl ₂ | 0.13 | 0.13 |
| Water | Balance | Balance |

¹ Di(soft tallowyloxyethyl)dimethyl ammonium chloride.

² 2-(N, N-Dimethylamino)ethyl 3',5'-di-tert-butyl-4'-hydroxybenzoate.

³ 2-(N-methyl-N-cocoamino)ethyl 3',5',-di-tert-butyl-4'-hydroxybenzoate.

20 ⁴ 2-(2'-Hydroxy-3',5'-di-tert-amylphenyl) benzotriazole, available from Ciba-Geigy Co.

| | IX | X |
|--------------------------------------|---------|---------|
| Component | Wt. % | Wt. % |
| Softening Compound ¹ | 8.7 | 8.7 |
| 25 Antioxidant Compound ² | | 2.5 |
| Antioxidant Compound ³ | | 2.5 |
| Tinuvin® 571 ⁴ | 2.5 | 2.5 |
| Ethanol | 1.4 | 1.4 |
| CaCl ₂ | 0.13 | 0.13 |
| 30 Water | Balance | Balance |

¹ Di(soft tallowyloxyethyl)dimethylammonium chloride.

² Octadecyl 3,5-di-tert-butyl-4-hydroxyhydrocinnamate available under the tradename of Irganox ® 1076, from Ciba-Geigy Co.

- 26 -

³ 2-(N-methyl-N-cocoamino)ethyl 3',4',5'-tri-hydroxybenzoate.

⁴ 2-(2''-Hydroxy, 3'-dodecyl,5'-methylphenyl) benzotriazole, available from Ciba-Geigy Co.

| | | |
|----|-----------------------------------|---------|
| 5 | | XI |
| | Component | Wt. % |
| | Softening Compound ¹ | 8.7 |
| | Antioxidant Compound ² | 2.0 |
| | Tinuvin® 328 ³ | 5.0 |
| 10 | Ethanol | 1.4 |
| | CaCl ₂ | 0.13 |
| | Water | Balance |

¹ Di(soft tallowoxyloxyethyl)dimethyl ammonium chloride.

² 2-(N,N-dimethylamino)ethyl 3',5'-di-tert-butyl-4'-hydroxybenzoate.

15 ³ 2-(2'-Hydroxy-3',5'-di-tert-amylphenyl) benzotriazole, available from Ciba-Geigy Co.

Examples VII to XI are made by the following procedure:

The Softener Compound (1) in the amount of 6.5g, ethanol in the amount of
 20 1.06g, the Antioxidant Compound and the 2-(2'-hydroxy-3',5'-di-tert-amylphenyl) benzotriazole (Tinuvin 328® from Ciba-Geigy) or the 2-(2'-Hydroxy, 3'-dodecyl, 5'-methylphenyl) benzotriazole (Tinuvin® 571 from Ciba-Geigy) are co-melted in an oven heated to 95°C until the melt is homogeneous. A mixture of 59.46g water and 4.17g 1N HCl is heated to
 25 80°C. The acidified water is stirred into the co-melt using a high shear mixer (Ultra-Turrax model T-25) for 1 minute. Subsequently, 5 drops of an aqueous 25% CaCl₂ solution is added and the blend is stirred for an additional 1 minute with the high shear mixer. The resulting formulation is allowed to cool to room temperature.

| | | | | | |
|----|-----------------------------------|-------|-------|-------|-------|
| 30 | | XII | XIII | XIV | XV |
| | Component | Wt. % | Wt. % | Wt. % | Wt. % |
| | Softening Compound ¹ | 15.5 | 21.0 | 15.5 | 12.0 |
| | Antioxidant Compound ² | 7.5 | 8.0 | 5.0 | 4.5 |
| 35 | Tinuvin® 571 ³ | | | 2.5 | |
| | Spectra-Sorb® UV-9 ⁴ | | | | 1.5 |

- 27 -

| | | | | |
|-------------------|---------|---------|---------|---------|
| Ethanol | 2.48 | 3.36 | 2.48 | 1.92 |
| CaCl ₂ | 0.35 | 0.45 | 0.45 | 0.35 |
| Water | Balance | Balance | Balance | Balance |

¹ Di(soft tallowoyloxyethyl)dimethylammonium chloride.

5 ² 2-(N-methyl-N-cocoamino)ethyl 3',5',-di-tert-butyl-4'-hydroxybenzoate.

³ 2-(2''-Hydroxy,3'-dodecyl,5'-methylphenyl) benzotriazole, available from Ciba-Geigy Co.

4. 2-Hydroxy-4-methoxy-benzophenone available from American Cyanamid.

Examples XII and XV are made by the following procedure:

10 The Softener Compound (1) in the amount of 15.5g, 21.0g, 15.5g, and 12.0g, respectively, ethanol, the Antioxidant Compound, the 2-(2'-Hydroxy, 3'-dodecyl, 5'-methylphenyl) benzotriazole (Tinuvin® 571 from Ciba-Geigy) and the 2-hydroxy-4-methoxy-benzophenone (Spectro-Sorb® UV-94 from American Cyanamid) are co-melted in an oven heated to 95°C until the melt
15 is homogeneous. A mixture of 59.46g water and 4.17g 1N HCl is heated to 80°C. The acidified water is stirred into the co-melt using a high shear mixer (Ultra-Turrax model T-25) for 1 minute. Subsequently, 5 drops of an aqueous 25% CaCl₂ solution is added and the blend is stirred for an additional 1 minute with the high shear mixer. The resulting formulation is
20 allowed to cool to room temperature.

| | XVI | XVII | XVIII | XIX |
|--------------------------------------|---------|---------|---------|---------|
| Component | Wt. % | Wt. % | Wt. % | Wt. % |
| Softening Compound ¹ | 15.5 | 21.0 | 15.5 | 12.0 |
| 25 Antioxidant Compound ² | 7.5 | 8.0 | 5.0 | 4.5 |
| Tinuvin® 571 ³ | | | 2.5 | |
| Spectra-Sorb® UV-94 ⁴ | | | | 1.5 |
| Ethanol | 2.48 | 3.36 | 2.48 | 1.92 |
| CaCl ₂ | 0.35 | 0.45 | 0.45 | 0.35 |
| 30 Water | Balance | Balance | Balance | Balance |

¹ Di(soft tallowoyloxyethyl)dimethylammonium chloride.

² 2-(N-methyl-N-cocoamino)ethyl 3',5',-di-tert-butyl-4'-hydroxybenzoate.

³ 2-(2''-Hydroxy,3'-dodecyl,5'-methylphenyl) benzotriazole, available from Ciba-Geigy Co.

35 ⁴ 2-Hydroxy-4-methoxy-benzophenone available from American Cyanamid.

- 28 -

Examples XVI to XIX are made by the following procedure: The Softener Compound (1), ethanol, the Antioxidant Compound, and the 2-(2''-Hydroxy,3'-dodecyl,5'-methylphenyl) benzotriazole, or, if present, 2-Hydroxy-4-methoxy-benzophenone, are co-melted in an oven heated to 5 95°C until the melt is homogeneous. A mixture of 73.84g water and 10.53g 1N HCl is heated to 80°C. The acidified water is stirred into the co-melt using a high shear mixer (Ultra-Turrax model T-25) for 1 minute. Subsequently, 0.48g of an aqueous 25% CaCl₂ solution is added and the blend is stirred for an additional 1 minute with the high shear mixer. The 10 resulting formulation is allowed to cool to room temperature.


What is claimed is:

1. A fabric care composition to reduce the fading of fabrics from sunlight, comprising:





- (A) from 1% to 25%, preferably from 2% to 20%, more preferably from 3% to 15% by weight of the composition, of a non-fabric staining, light stable, antioxidant compound;
- (B) from 3% to 50%, preferably from 6% to 32%, by weight of the composition of a fabric softening compound;
- (C) from 25% to 95% by weight of the composition, of a carrier material; and
- (D) optionally, from 0% to 20% by weight of the composition, of a non-fabric staining, light stable, sunscreen compound;

wherein the antioxidant compound is a solid having a melting point of less than 80°C, preferably less than 50°C or is a liquid at a temperature of less than 40°C, preferably from 0°C to 25°C; wherein the sunscreen compound absorbs light at a wavelength of from 290nm to 450nm; wherein the sunscreen compound is a solid having a melting point of from 25°C to 90°C or a viscous liquid at a temperature of less than 40°C, and wherein preferably the antioxidant compound and the sunscreen compound has at least one C₈ to C₂₂ hydrocarbon fatty organic moiety.

2. The composition of Claim 1 wherein the antioxidant compound is selected from the group consisting of:



30



and mixtures thereof (VII);

wherein R^1 and R^3 are the same or different moiety selected from the group consisting of hydroxy, C_1 - C_6 alkoxy groups, branched or straight chained C_1 to C_6 alkyl groups, and mixtures thereof;

R^2 is a hydroxy group;

R^4 is a saturated or unsaturated C_1 to C_{22} alkyl group or hydrogen;

R^5 is a saturated or unsaturated C_1 to C_{22} alkyl group which can contain ethoxylated or propoxylated groups;

R^6 is a branched or straight chained, saturated or unsaturated, C_8 to C_{22} alkyl group;

T is $\begin{array}{c} \text{O} \text{ OR } \text{N} \\ | \quad | \\ \text{Z} \end{array}$;

W is $\begin{array}{c} \text{Y} \\ | \\ (\text{OCH}_2\text{CH}_2)_n \end{array}$ OR $\begin{array}{c} \text{Z} \\ | \\ \text{N} - (\text{CH}_2)_q \end{array}$;

Y is a hydrogen or a C_1 to C_5 alkyl group;

Z is hydrogen, a C_1 to C_3 alkyl group (which may be interrupted by an ester, amide, or ether group), or a C_1 to C_{30} alkoxy group (which may be interrupted by an ester, amide, or ether group);

m is from 0 to 4;

n is from 1 to 50; and


q is from 1 to 10;

and wherein the antioxidant compound also comprises quaternary ammonium compounds of Formulas I, III, IV, and VI.

3. The composition of Claim 2 wherein R^1 and R^3 are branched C_1 to C_6 alkyl groups; R^4 is a methyl group; R^5 is a saturated or unsaturated C_8 to C_{22} alkyl group; R^6 is a branched or straight chained, saturated or unsaturated C_{12} to C_{18} alkyl group; Y is a hydrogen or a methyl group; Z is a hydrogen or a C_1 to C_6 alkyl group; m is from 0 to 2; n is from 1 to 10; and q is from 2 to 6.

4. The composition of Claim 3 wherein each wherein R_1 and R_3 are "tert"-butyl groups; and R_5 is a saturated or unsaturated C_{12} to C_{18} alkyl group, preferably wherein the antioxidant compound is 2-(N-methyl-N-cocoamino)ethyl 3',5',-di-tert-butyl-4'-hydroxybenzoate.

5. The composition of Claim 2 wherein the fabric softening compound is a diester quaternary ammonium compound of the formula:



wherein

each Y' is -O-(O)C-, or -C(O)-O-, preferably Y' is -O-(O)C-;

p is 2 or 3, preferably 2;

each q^2 is 1 to 5, preferably 2;


each R^7 substituent is a short chain C_1 - C_6 , alkyl or hydroxyalkyl group, benzyl group and mixtures thereof, preferably R^7 is a C_1 - C_3 alkyl group;

each R^8 is a long chain C_{11} - C_{21} hydrocarbyl, or substituted hydrocarbyl substituent, preferably R^8 is a C_{15} - C_{19} alkyl group;

and the counterion, X^- , can be any softener-compatible anion.


6. The composition of Claim 2 wherein the composition additionally comprises a sunscreen compound containing at least one chromophore selected from the group consisting of:

(I)




Phenylbenzotriazole

(II)




2-Hydroxybenzophenone

(III)




Dibenzoylmethane

(IV)



Phenylbenzimidazole


(V)



Esters of P-Aminobenzoic Acid (PABA)


33

(VI)




Esters of Cinnamic Acid

(VII)



Esters of 2-Cyano-3, 3-diphenyl-2-Propenoic Acid

(VIII)



Esters of Salicylic Acid

and





(IX)

mixtures thereof;

wherein each R is a hydrogen, methyl, ethyl, C₁ to C₂₂ branched or straight chain alkyl group and mixtures thereof.

7. The composition of Claim 6 wherein the sunscreen compound contains at least one chromophore selected from the group consisting of (I), (II), (III), (IV), (V), (VII), (VIII), and mixtures thereof, preferably wherein the sunscreen compound is selected from the group consisting of 2-(2'-Hydroxy,3'-dodecyl,5'-methylphenyl) benzotriazole, coco 3-[3'-(2H-benzotriazol-2'-yl)-5-tert-butyl-4'-hydroxyphenyl] propionate, and mixtures thereof.

8. The composition of Claim 6 wherein the sunscreen compound is selected from the group consisting of;



(V)

mixtures thereof;

wherein R¹ is a hydrogen or a C₁ to C₂₂ alkyl group;

R² is a hydrogen or a C₁ to C₂₂ alkyl group;

R³ is a C₁ to C₂₂ alkyl group;

each R⁴ is a hydrogen, a C₁ to C₂₂ alkyl group, and mixtures thereof;

each R⁵ is a hydrogen, hydroxy group, a C₁ to C₂₂ alkyl group, (which can be an ester, amide, or ether interrupted group), and mixtures thereof;

R⁶ is a hydrogen, hydroxy group, methoxy group or a C₁ to C₂₂ alkyl group, (which can be an ester, amide, or ether interrupted group);

R⁷ is a hydrogen, hydroxy group, or a C₁ to C₂₀ alkyl group;

R⁸ is a hydrogen, hydroxy group, or a C₁ to C₂₂ alkyl group, (which can be an ester, amide, or ether interrupted group); and

R⁹ is a hydrogen, hydroxy group, or a C₁ to C₂₂ alkyl group, (which can be an ester, amide, or ether interrupted group).

9. A method to decrease the fading of fabrics from sunlight by adding an effective amount of the composition of any preceding claim to the rinse cycle of a textile laundering process.

10. A method to decrease the fading of fabrics from sunlight by soaking fabrics in or spraying fabrics with a solution containing an effective amount of the composition of any preceding claim.

INTERNATIONAL SEARCH REPORT

Intern. Application No.
T/US 95/08801

| | | |
|--|--|--|
| A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C11D1/62 C11D3/30 C11D3/33 C11D3/20 C11D3/32 C11D3/42 C11D3/28 C11D3/26 C11D1/645 | | |
| According to International Patent Classification (IPC) or to both national classification and IPC | | |
| B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 C11D | | |
| Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched | | |
| Electronic data base consulted during the international search (name of data base and, where practical, search terms used) | | |
| C. DOCUMENTS CONSIDERED TO BE RELEVANT | | |
| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
| A | FR,A,2 021 067 (HENKEL & CIE, G.M.B.H.) 17 July 1970 see page 1, line 7 - line 9 see page 3, line 19 - line 24 --- | 1-4,6-8 |
| A | FR,A,2 021 066 (HENKEL & CIE G.M.B.H.) 17 July 1970 see page 1, line 7 - line 9 see page 3, line 19 - line 24 --- | 1-4,6-8 |
| A | WO,A,90 14429 (NOVONORDISK AS) 29 November 1990 see page 3, line 34 - line 35 --- | 1,2 |
| A | EP,A,0 409 502 (UNILEVER PLC ;UNILEVER NV (NL)) 23 January 1991 see page 4, line 3 - line 12 --- | 1,5 |
| -/-- | | |
| <div style="display: flex; justify-content: space-between;"> <input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex. </div> | | |
| <div style="display: flex;"> <div style="flex: 1;"> <p>* Special categories of cited documents :</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="flex: 1;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div> | | |
| Date of the actual completion of the international search <div style="text-align: center; font-weight: bold;">29 November 1995</div> | | Date of mailing of the international search report <div style="text-align: center; font-weight: bold;">08.12.1995</div> |
| Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl, Fax (+ 31-70) 340-3016 | | Authorized officer <div style="text-align: center; font-weight: bold;">Blas, V</div> |

INTERNATIONAL SEARCH REPORT

Intern. Application No
/US 95/08801

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| P,A | EP,A,0 659 877 (CIBA GEIGY AG) 28 June 1995 see the whole document --- | 1,5-10 |
| A | DATABASE WPI Section Ch, Week 8833 Derwent Publications Ltd., London, GB; Class A96, AN 88-230562 & JP,A,63 162 798 (LION CORP) , 6 July 1988 see abstract ----- | 1,5-10 |

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 95/08801

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|----------------------------|---------------------|
| FR-A-2021067 | 17-07-70 | AT-A- 291412 | 15-06-71 |
| | | BE-A- 740375 | 16-04-70 |
| | | CH-A- 530464 | 15-11-72 |
| | | DE-A- 1804019 | 14-05-70 |
| | | DK-A- 129588 | |
| | | GB-A- 1278357 | 21-06-72 |
| | | NL-A- 6914268 | 21-04-70 |
| FR-A-2021066 | 17-07-70 | AT-A- 291413 | 15-06-71 |
| | | BE-A- 740374 | 16-04-70 |
| | | CH-A- 521437 | 15-04-72 |
| | | DE-A- 1804018 | 14-05-70 |
| | | NL-A- 6914267 | 21-04-70 |
| | | | |
| WO-A-9014429 | 29-11-90 | AU-B- 636894 | 13-05-93 |
| | | AU-B- 5748590 | 18-12-90 |
| | | CA-A- 2057041 | 26-11-90 |
| | | EP-A- 0473700 | 11-03-92 |
| | | JP-T- 4505258 | 17-09-92 |
| | | | |
| EP-A-0409502 | 23-01-91 | AU-B- 640152 | 19-08-93 |
| | | AU-B- 5900790 | 17-01-91 |
| | | JP-A- 3113077 | 14-05-91 |
| EP-A-0659877 | 28-06-95 | AU-B- 8160894 | 29-06-95 |
| | | BR-A- 9405213 | 01-08-95 |
| | | GB-A- 2285065 | 28-06-95 |
| | | JP-A- 7216740 | 15-08-95 |
| | | NZ-A- 270206 | 28-08-95 |
| | | | |